

- ◆ CB15 dust collector, dust and water collector
- ◆ CB30 dust and water collector
- ◆ CB60-2 dust and water collector
- ◆ CB80-2 dust and water collector
- ◆ CB90-2 dust and water collector

Subagency

VACUUM CLEANERS



Owner's guide

VACUUM CLEANERS

Instructions:

- 1) Make sure the power supply voltage is the same with this machine.
- 2) Connect all venturis and then select appropriate
- 3) Put the vacuum tube connected with the suction nozzle of vacuum cleaner.
- 4) Please remember that the power line is put in the rear suction nozzle.

Dust aspiration usage:

- 1) Dust bag shall be installed before available operation;
- 2) Keep the machine body clean and dry.

Water suction usage:

- 1) Remove dust separator before water suction;
- 2) Remove odds and ends inside the tank;
- 3) Antifoam agent shall be added to the tank if a blanket is to be sucked in order to prevent bubbles from entering and damaging the motor;
- 4) If motor is damaged due to entered water, it is not covered by the warranty.

Cleaning and maintenance:

- 1) Clean the drums in case there is no any dirt accumulating in inside barrel.
- 2) Wash and brush thoroughly aspiration bags.
- 3) Check the power cord, and make sure that electric wires have no damage.
- 4) Add warm water with cleanser to clear dust bags and use it after dried.
- 5) Dust aspiration bag should be replaced once in 1-2 weeks.

Motor maintenance:

The carbon brush of dust absorption motor of carbon is checked once every year by service personnel.

15 VACUUM CLEANERS

Performance Characteristics:

Compact structure, super mute design, strong suction ability, multi-purpose attached accessories, convenient combination, and widely used in homes, clubs, workshops, plants, office building and other large public places.

Principal machine:




Technical Parameters


Type	CB15/CB15B	Vacuum	210mbar
Volume	15 L	Cooling mode	Cycle
Working voltage	220V~/50Hz	Barrel body diameter	345mm
Power	1000W	Height	550mm
Function	Dust collection / dust and water collection	Accessories	Ø36
Airflow	48L/S	Electric wire	7 m

Standard attachments:

Note: dust collector is not equipped with



CB15 anatomical drawing



CB30 VACUUM CLEANERS

Performance characteristics:

Compact structure, super mute design, strong suction ability, multi-purpose attached accessories, convenient combination, and widely used in homes, clubs, workshops, plants, office building and other large public places.


Principal machine:




Technical Parameters

Type	CB30	Vacuum suction	230mbar
Volume	30 L	Cooling mode	Cycle
Working voltage	220V~/50Hz	Barrel body diameter	345mm
Power	1000W	Height	760mm
Function	Dust and water collection	Accessories	Ø40
Airflow	53L/S	Electric wire	7 m

Standard attachments:



CB30 anatomical drawing



CB60-2 VACUUM CLEANERS

Performance Characteristics:

Compact structure, super mute design, strong suction ability, multi-purpose attached accessories, convenient combination, and widely used in homes, clubs, workshops, plants, office building and other large public places.


Principal machine: equipped with optional double-motor or three-motor head




Technical Parameters

Type	CB60-2/CB60-2B/CB60-2J	Vacuum suction	250mbar
Volume	60 L	Cooling mode	Cycle
Working voltage	220V~/50Hz	Barrel body diameter	440mm
Power	2000W/3000W	Height	1000mm
Function	Dust and water collection	Accessories	Ø40
Airflow	106L/S	Electric wire	8 m

Standard attachments:



CB60-2 anatomical drawing



CB80-2 VACUUM CLEANERS

Performance Characteristics:

Powerful motor with outstanding suction force, ideal dust and water suction effect, multi-purpose attached accessories, convenient combinations, widely used in large workshops, plants, markets, hotels, office buildings and other large public places.


Principal machine: equipped with optional double-motor or three-motor head




Technical Parameters

Type	CB80-2/CB80-2J	Vacuum suction	250mbar
Volume	80 L	Cooling mode	Cycle
Working voltage	220V~/50Hz	Barrel body diameter	440mm
Power	2000W/3000W	Height	1050mm
Function	Dust and water collection	Accessories	Ø40
Airflow	120L/S	Electric wire	8 m

Standard attachments:



CB80-2 anatomical drawing



CB90-2 VACUUM CLEANERS

Performance Characteristics:

Powerful motor with outstanding suction force, ideal dust and water suction effect, multi-purpose attached accessories, convenient combinations, widely used in large workshops, plants, markets, hotels, office buildings and other large public places.


Principal machine: equipped with optional double-motor or three-motor head




Technical Parameters

Type	CB90-2	Vacuum suction	250mbar
Volume	90 L	Cooling mode	Cycle
Working voltage	220V~/50Hz	Barrel body diameter	440mm
Power	2000W/3000W	Height	1050mm
Function	Dust and water collection	Accessories	Ø40
Airflow	120L/S	Electric wire	8 m

Standard attachments:



CB90-2 anatomical drawing



CAUTIONS

- I. This machine is not intended for use by the physically weak, intellectually obtuse or mentally disabled people (including children), unless it is safely used under the help or instructions of those who are responsible for their safety
- II. The children shall be supervised to ensure that they will not play the machine.
- III. Be sure to remove the power plug from the socket before cleaning or repairing the machine.
- IV. If the power cord is damaged or loose, it shall be replaced by the manufacturer's service department or qualified personnel; the connection shall be of Y type.
- V. Remove the power plug after stopping the machin